

DataMate3000

—IT




EMERSON
Network Power

DataMate3000



DataMate3000

DataMate3000

-
-
-

-
-

Copeland

-
-

100%

-
-
-
-
-

RS485

-

365


24

-
-

RDU-Cooling

-

DataMate3000



Emerson

		kW	kg/h	FLA A	
5.5kW	DME05MCW1			6	DMW05
	DME05MOW1	4		8	
	DME05MHW1	4	2.5	22	
7.5kW	DME07MCW1			6	DMW07
	DME07MOW1	4		8	
	DME07MHW1	4	2.5	22	
12.5kW	DME12MCW1			10.5	DMW12
	DME12MOW1	4		10.5	
	DME12MHW1	4	2.5	22	

		m ³ /h	(kPa)
DMW05		1.55	14
DMW07		1.65	15
DMW12		2.9	25

DataMate3000



DataMate3000

DataMate3000
 EC
 10
 (TCO)

			kW	kg/h	FLA A	mm		
5.5kW	DME05MCP2				6	510×385×1750	DMC05WT1 (702×352×626)	DML07W1 (1037×352×829)
	DME05MOP2	4		8				
	DME05MHP2	4	2.5	22				
7.5kW	DME07MCP2				6	510×385×1750	DMC07WT1 (787×352×829)	DML07W1 (1037×352×829)
	DME07MOP2	4		8				
	DME07MHP2	4	2.5	22				
12.5kW	DME12MCP2				10.5	600×500×1850	DMC12WT1 (787×352×1240)	DML12W1 (1037×352×1240)
	DME12MOP2	4		10.5				
	DME12MHP2	4	2.5	22				

			kW	kg/h	FLA A	mm		
5.5kW	DME05MCW2				6	510×385×1750		DMW05 (843×533×700)
	DME05MOW2	4		8				
	DME05MHW2	4	2.5	22				
7.5kW	DME07MCW2				6	510×385×1750		DMW07 (843×533×700)
	DME07MOW2	4		8				
	DME07MHW2	4	2.5	22				
12.5kW	DME12MCW2				10.5	600×500×1850		DMW12 (843×533×700)
	DME12MOW2	4		10.5				
	DME12MHW2	4	2.5	22				

-
-
-
-
-

■					365	24		
■								
■			Emerson					-15 +45
■		Copeland						
■								
■		EC						-34 +45
■								
■								
■		100%						
■								
■								
■								
■		RS485					RDU-Cooling	DataMate3000
■								

DataMate3000



DataMate3000

DataMate3000



-
-
-
-

-
-
-
-

-

-

-

-

-

-

-

100%

RS485

365

24

	KW				(kW)	(kg/h)
		(l/s)	(kPa)	(mm)		
DMH09U/D/FMC1	8.2	0.39	46	25		
DMH09U/D/FMO1	8.2	0.39	46	25	4	
DMH09U/D/FMH1	8.2	0.39	46	25	4	3
DMH12U/D/FMC1	11.6	0.55	62	25		
DMH12U/D/FMO1	11.6	0.55	62	25	4	
DMH12U/D/FMH1	11.6	0.55	62	25	4	3
DMH17U/D/FMC1	16.3	0.78	46	32		
DMH17U/D/FMO1	16.3	0.78	46	32	6	
DMH17U/D/FMH1	16.3	0.78	46	32	6	5
DMH25U/D/FMC1	23.2	1.1	45	32		
DMH25U/D/FMO1	23.2	1.1	45	32	6	5
DMH25U/D/FMH1	23.2	1.1	45	32	6	

1	' U'		' D'		' F'	
2	380V/50Hz_3P,	24	50%RH	7	12	
3						
4	1600kPa					
5						


		× × (mm)	(kg)
DMH09U/D/FMC/O/H1	1	510×386×1740	90
DMH12U/D/FMC/O/H1	1	608×575×1900	127
DMH17U/D/FMC/O/H1	2	1102×386×1740	169
DMH25U/D/FMC/O/H1	2	1202×575×1900	210

DataMate3000 16KW

DataMate3000 16kW

' V'

IT



Emerson Copeland

' V'

RS485

16

365

24

-15

+45

-34

45

DataMate3000



108 2
86-010-62104284
100086

400-650-1086

E-X6210723-0513

EMERSON. CONSIDER IT SOLVED.™